



INTERNATIONAL
PHYSICISTS'
TOURNAMENT

Problem list for the XVII-th edition of the IPT

1 Bouncing Honey

When honey is dripping from a spoon, the trickle can stop flowing, oscillate up and down before flowing again. Explain the phenomenon. Investigate how the oscillations depend on the relevant parameters.

2 Oscillating Rings

Take two ferromagnetic rings of different radii and tie them by a string. Connect another string to the larger ring at the same point. Now holding the whole construction by the second string, you can suspend it in the air by a magnet placed above (see link below). Being held only by these vertical strings, the rings are free to rotate around the vertical axis. Investigate their rotational motion based on the parameters of the system (magnetic permeability of the rings, moments of inertia, positions, thickness, etc). What happens if you replace the central ring with a disk? [link to video](#)

3 Traveling Flame

Under certain circumstances a flame can travel along an open canal (see link below). Explain the phenomenon. Investigate its lifetime and speed. Under which circumstances does it display a periodic behavior? Maximize the lifetime of a traveling flame for a given amount of fuel. [link to video](#)

4 Flying Coin

One can make a coin fly from a table into a plate placed on it by blowing on it from a certain angle. Investigate the movement of the coin and how it depends on the relevant parameters. What is the maximum height of the plate's edge such that the coin still lands on/in it? Can you predict the face on which the coin lands based on the relevant parameters? [link to video](#)

5 An Optimal Candle

Maximize the luminosity of a candle by varying its size and shape for a chosen wick. What shape should it have to ensure that, when the wick has fully burnt out, all the wax has also completely vaporized away?

6 Tea Stripes

When looking on the surface of hot tea, over time a stripe formation can be seen. Explain the phenomenon and estimate the characteristic time of pattern formation and stripe size.



Hint: Usually, this phenomenon is observed when using hard water for tea.

7 Kelvin Dropper

A reservoir containing a conducting liquid is connected to two hoses that release two falling streams of drops, which land in two containers. Each stream passes through a metal ring or open cylinder which is electrically connected to the opposite receiving container. After a while, a spark may be observed between two conducting rods connected to the setup. Use this setup as an electrical generator. Investigate and optimize its power efficiency. [link to arxiv preprint](#) [link to video](#)

8 Chaotic Laces

If a sufficiently large number of shoelaces is rotated in a centrifuge with water – similar to a washing machine – the laces become entangled. Investigate the number of knots in a single lace, as well as knots between different laces. Study the length distribution of the longest resultant rope that can be formed as a function of the number of laces and their individual length?



9 Rotating Ring

When a magnetic ring is left at the top of a ferromagnetic rod, several types of motion can be observed. Under which conditions does each type of motion appear? Which types of motion lead to the longest fall time for a given ring radius? [link to video](#)

10 Soft Rescuer

Under certain circumstances, soap bubbles don't break when they fall on a soft carpet. Investigate this phenomenon. What is the maximal landing speed that a bubble can survive for a given carpet?

11 Rubber Shot

Estimate the highest possible launch speed of a rubber band using its own extension. What is the maximal speed that can be reliably achieved over multiple shots with the same rubber band?

12 Paper Blade


Investigate the conditions for a paper sheet to cut through different materials. What is the strongest material the paper blade can cut through?

13 Loud Bicycle

Some cyclists attach ratchets made of clothes pegs and plastic plates that touch the spokes of a wheel. When the bike is rolling, the plates are repeatedly hit by the spokes, causing sound emission. How loud can one make this sound? Optimize the setup for a usual bicycle at normal speed, while keeping the bicycle operational.

14 Creeping Salt

When concentrated brine (water and dissolved salt) is allowed to evaporate in a container, the salt precipitates and forms small crystals. But more surprisingly, many crystals form outside the container. The salt crawls away from the walls of the container and may



cover the outer walls or climb up a plunging rod. Explain the phenomenon. What is the maximum height that salt crystals can reach on the rod? Maximize the amount of salt that can be extracted on the rod per unit volume of evaporated solution via this method.

15 PET Bottle Rocket

Build your own rocket using a single PET bottle and add any modifications you like. The working principle of the rocket should be via expulsion, without any combustion or chemical reactions. Investigate what are the limits of the height and the speed of such rockets.

[link to how-to website 1](#) [link to how-to website 2](#)

16 The Slinky

When one places a slinky at the top of a staircase, it can be pushed to travel in its peculiar motion down the stairs. Investigate how the average slope influences the motion of the slinky. What is the minimal average slope such that the slinky successfully reaches its steady periodic motion? What happens if you replace the stairs with an inclined plane?



A handwritten signature in black ink, appearing to read 'A. Rolandi'.

Alberto Rolandi, IPT Secretary